



پارسیان لیفتراک لوتوس ماشین
عاملیت فروش و خدمات پس از فروش آسان خودرو - کد ۱۰۵


آسان خودرو
نماینده انحصاری ماشین آلات زوم لایون



تهران - منطقه ۲۲




TC6517B-10



وزنه های تعادل

		(Kg)	PHZ3000	PHZ2500	PHZ2000	PHZ1500
65m	14.8m	24000	6	1	1	1
60m	14.8m	21500	6	0	1	1
55m	14.8m	20000	6	0	1	0
50m	14.8m	18500	5	0	1	1
45m	14.8m	16500	5	0	0	1
40m	14.8m	14500	4	1	0	0
35m	14.8m	12000	2	1	1	1
30m	14.8m	10000	2	1	0	1

ساختار ارتفاعی



کمربندها



منحنی بار

R(m)		Max. Capacity m/t	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5	35.0	37.5	40.0	42.5	45.0	47.5	50.0	52.5	55.0	57.5	60.0	62.5	65.0			
65m (R=66.75)	5t	2.5-28.0m	5.00						4.70	4.27	3.90	3.58	3.30	3.05	2.83	2.64	2.46	2.31	2.16	2.03	1.91	1.80	1.70			
	10t	2.5-15.6m	10.0	8.74	7.48	6.51	5.74	5.12	4.60	4.17	3.80	3.48	3.20	2.95	2.73	2.54	2.36	2.21	2.06	1.93	1.81	1.70	1.60			
60m (R=61.75)	5t	2.5-28.9m	5.00						4.88	4.43	4.05	3.72	3.43	3.18	2.95	2.75	2.57	2.41	2.26	2.12	2.00					
	10t	2.5-16.1m	10.0	9.06	7.75	6.75	5.96	5.32	4.78	4.33	3.95	3.62	3.33	3.08	2.85	2.65	2.47	2.31	2.16	2.02	1.90					
55m (R=56.75)	5t	2.5-30.7m	5.00						4.68	4.28	3.93	3.63	3.36	3.13	2.91	2.73	2.55	2.40								
	10t	2.5-16.8m	10.0	9.52	8.15	7.11	6.28	5.60	5.05	4.58	4.18	3.83	3.53	3.26	3.03	2.81	2.63	2.45	2.30							
50m (R=51.75)	5t	2.5-32.6m	5.00						4.60	4.23	3.91	3.63	3.37	3.15	2.95											
	10t	2.5-17.7m	10.00	8.73	7.62	6.74	6.02	5.42	4.92	4.50	4.13	3.81	3.53	3.27	3.05	2.85										
45m (R=46.75)	5t	2.5-34.3m	5.00						4.89	4.50	4.16	3.86	3.60													
	10t	2.5-18.7m	10.00	9.25	8.08	7.15	6.39	5.77	5.24	4.79	4.40	4.06	3.76	3.50												
40m (R=41.75)	5t	2.5-34.9m	5.00						4.99	4.59	4.25															
	10t	2.5-19.0m	10.00	9.43	8.24	7.29	6.52	5.88	5.35	4.89	4.49	4.15														
35m (R=36.75)	5t	2.5-35.0m	5.00																							
	10t	2.5-19.2m	10.00	9.54	8.33	7.37	6.60	5.95	5.41	4.95																
30m (R=31.75)	5t	2.5-30.0m	5.00																							
	10t	2.5-19.4m	10.00	9.68	8.46	7.49	6.70	6.05																		

انواع مکانیزمهای حرکتی

		Hoisting QE10100E2	
	回转 Stewing	HVV95F.130	
	0-0.6 r/min	2x95 Nm	
	变幅 Trolley	BP55B	
	0-55 m/min	55 kW	
	行走 Travelling	ZA52A-D ZC52A-D	
	25/12.5 m/min	2x52 kW	
	IV	5t	50 m/min
		10t	25 m/min
		2.5t	100 m/min
		5t	50 m/min
		540m (6 layers)	
		380V(+10%-10%) 50Hz	
		71.5+2x5.2kW	